

# ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-007  
EXPIRES: JUNE 30 1990

This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side.

Ashbriar Condominium Association

BUILDING OWNER'S NAME

POLICY NUMBER

6720 N. Meridian Avenue

STREET ADDRESS

Units A-F

Apt.-A/Unit-U Suite-S/Bldg.-B

NO.

ROUTE

BOX NUMBER

OTHER DESCRIPTION (Block and lot numbers., etc.)

Oklahoma City

OK

73116

CITY

STATE

ZIP CODE

This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form.

### SECTION I BUILDING ELEVATION INFORMATION

- Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number\_\_\_\_\_
- FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1219.90 feet NGVD. (or other datum—see #5)
- FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of \_\_\_\_\_ feet NGVD (or other datum—see #5).
- FIRM Zone AO. The floor used as the reference level from the selected diagram is ☐ feet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's floodplain management ordinances? ☐ Yes ☐ No ☐ Unknown
- Indicate the elevation datum system used in determining the above reference level elevations: ☒ NGVD ☐ Other (describe on back)
- Indicate the elevation datum system used on the FIRM for base flood elevations: ☒ NGVD ☐ Other (describe on back)

(ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.)

- Is the reference level based on actual construction? ☒ Yes ☐ No\*  
\* A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage.

- Provide the following measurements using the natural grade next to the building (round to the nearest foot).

a. The reference level is:

b. The garage floor (if applicable) is:

018 feet ☐ above ☒ below (check one) the highest grade.

☐ feet ☐ above ☐ below (check one) the highest grade.

011 feet ☒ above ☐ below (check one) the lowest grade.

☐ feet ☐ above ☐ below (check one) the lowest grade.

### SECTION II FLOOD INSURANCE RATE MAP INFORMATION

Provide the following from the proper FIRM (see Instructions on back—Date of FIRM) and accompanying insurance application:

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	BASE FLOOD ELEV. (In AO Zone, use depth)	COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE
405378	0195	C	Nov. 3, 1982	C	1216.0	

Elevation reference mark used appears on FIRM ☐ Yes ☒ No (See reverse side for details)

### SECTION III CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Timothy W. Johnson

12277

CERTIFIER'S NAME

LICENSE NUMBER (or Affix Seal)

President

Johnson & Associates, Inc.

TITLE

COMPANY NAME

5534 N. Western, Suite 100

Oklahoma

OK

73118

ADDRESS

CITY

STATE

ZIP

SIGNATURE

2-4-92

(405) 843-8075

DATE

PHONE

The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED.

FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?

☐ YES ☐ NO If NO the elevation of the lowest floor is \_\_\_\_\_ feet NGVD.



FEDERAL EMERGENCY MANAGEMENT AGENCY  
FLOOD INSURANCE APPLICATION—PART 2 WORKSHEET

O.M.B. No. 3067-0022  
Expires July 31, 1990

Ashbriar Condominium Association

NAME

6720 N. Meridian Avenue

ADDRESS

Oklahoma City, OK

73116

CITY

STATE

ZIP

1. Select the diagram of construction most nearly applicable to the building illustrated on the back of this form.
2. For Section I, questions 2, 3, and 4; Section II, question 10b; and Section III, questions 12 and 13, please utilize a common measuring device such as a ruler, or tape. All measurements should be rounded to the nearest foot using the natural grade next to the building.
3. Complete all applicable questions and return this form to your insurance agent who will complete your flood insurance application.

NOTE: If an Elevation Certificate is required, a copy of the completed worksheet is to be given to the professional who will complete the Elevation Certificate.

SECTION I—ALL BUILDING TYPES

1. Diagram number selected from Diagrams 1-6: ☐ 1
2. The reference level is (round to nearest foot):  
a) ☐ 0 ☒ 8 feet ☒ above ☐ below (check one)  
the highest natural ground.  
b) ☐ 0 ☒ 1 feet ☒ above ☐ below (check one)  
the lowest natural ground.
3. The garage floor (if applicable) or elevated floor (if applicable) is (round to nearest foot):  
a) ☐ feet ☐ above ☐ below (check one)  
the highest natural ground.  
b) ☐ feet ☐ above ☐ below (check one)  
the lowest natural ground.
4. Machinery and equipment located at a level lower than the reference level is (round to nearest foot):  
☐ feet below the reference level.
5. Site location  
a) Approximate distance of site location to nearest shoreline:  
☒ Less than 200 feet ☐ 500 to 1000 feet  
☐ 200 to 500 feet ☐ Over 1000 feet  
b) Source of flooding:  
☐ Ocean ☒ River/stream  
☐ Lake ☐ Other: \_\_\_\_\_
6. Basement  
a) Is the basement floor below grade on all four sides?  
☐ Yes ☐ No  
b) Does the basement contain machinery or equipment?  
☐ Yes ☐ No

- If yes, check appropriate items:
- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Furnace            | <input type="checkbox"/> Heat pump  | <input type="checkbox"/> Air conditioner |
| <input type="checkbox"/> Hot water heater   | <input type="checkbox"/> Oil tank   | <input type="checkbox"/> Cistern         |
| <input type="checkbox"/> Elevator equipment | <input type="checkbox"/> Other equipment or machinery servicing the building? |  |
- c) Is the basement used for any purpose other than storage?  
☐ Yes ☐ No

7. Garage
- a) Is the garage attached to or part of the building?  
☐ Yes ☐ No
- b) Are there any openings or breakout panels (excluding doors) that are designed to allow the passage of flood waters into the garage?  
☐ Yes ☐ No
- c) Is the garage used solely for parking of vehicles, building access, and/or storage?  
☐ Yes ☐ No
- d) Does the garage contain machinery or equipment?  
☐ Yes ☐ No

- If yes, check appropriate items:
- |   |   |  |
|---|---|--|
| <input type="checkbox"/> Furnace            | <input type="checkbox"/> Heat pump  | <input type="checkbox"/> Air conditioner |
| <input type="checkbox"/> Hot water heater   | <input type="checkbox"/> Oil tank   | <input type="checkbox"/> Cistern         |
| <input type="checkbox"/> Elevator equipment | <input type="checkbox"/> Other equipment or machinery servicing building? |  |

SECTION II—ELEVATED BUILDINGS  
(Including Manufactured (Mobile) Homes)

8. Elevating foundation of the building:  
☐ Piers, posts, or piles  
☐ Reinforced masonry piers or concrete piers or columns  
☐ Reinforced masonry piers or concrete shear walls\*  
☐ Solid perimeter walls  
(Note: This is not an approved method for elevating in Zones V1-V30, VE, or V)
9. Does the area below the elevated floor contain machinery or equipment?  
☐ Yes ☐ No  
If yes, check the appropriate items:  

<input type="checkbox"/> Furnace	<input type="checkbox"/> Heat pump	<input type="checkbox"/> Air conditioner
<input type="checkbox"/> Hot water heater	<input type="checkbox"/> Oil tank	<input type="checkbox"/> Cistern
<input type="checkbox"/> Elevator equipment	<input type="checkbox"/> Other equipment or machinery servicing the building?	
10. Area below the elevated floor  
a) Is the area below the elevated floor enclosed?  
☐ Yes ☐ No  
If yes, check one of the following:  
☐ Partially  
☐ Fully  
☐ Not enclosed  
If 10a is NO, do not answer 10b through 10f.

- b) Is the enclosed area greater than 300 square feet?  
☐ Yes ☐ No  
If yes, estimate size of area if enclosed:  square feet.
- c) Is the area below the elevated floor enclosed using materials other than insect screening or light wood lattice?  
☐ Yes ☐ No  
If yes, check one of the following:  
☐ Breakaway walls\*\*  
☐ Solid wood frame walls  
☐ Masonry walls  
☐ Other: \_\_\_\_\_
- d) Is the enclosed area constructed with no openings or breakout panels (excluding doors) to allow the passage of flood waters through the enclosed area?  
☐ Yes ☐ No  
If yes, describe: \_\_\_\_\_
- e) Is the enclosed area used for any purpose other than solely for parking of vehicles, building access, or storage?  
☐ Yes ☐ No
- f) Does the enclosed area have more than 20 linear feet of finished wall, paneling, etc?  
☐ Yes ☐ No

\* Shear walls are not structurally joined at either end, but are used to support the building.  
\*\* Breakaway walls are not secure from forcible entry. See Diagram 6 for further direction.

SECTION III—MANUFACTURED (MOBILE) HOMES

11. Manufactured (Mobile) Home Data:
- Make:
- Year of manufacture:
- Model number:
- Serial number:

14. The manufactured (mobile) home's anchoring system utilizes:
- |  |  |
|--|--|
| <input type="checkbox"/> Over-the-top ties | <input type="checkbox"/> Ground anchor |
| <input type="checkbox"/> Frame ties        | <input type="checkbox"/> Slab anchors  |
| <input type="checkbox"/> Frame connectors  | <input type="checkbox"/> Other: _____  |
15. Was the manufactured (mobile) home installed in accordance with:

